

# **TC21/TC26DK Touch Computer**

# The ultimate cost-effective touch computer built for small and big business

If you're considering purchasing low-cost mobile devices for your workers, step up to the TC21/TC26DK data only Touch Computers — without stepping up in price. All the right business features help your workers capture and access the data they need to act faster and more efficiently. The right rugged design delivers reliable operation, day in and day out. The right business class accessories makes the TC21/TC26DK easier to use and easier to manage. With multiple configurations at different price points, you pay only for the features your workers need, including connectivity — the WiFi-only TC21 for workers inside the four walls or the WiFi/cellular TC26DK for workers out in the field. Powerful complimentary Mobility DNA tools are pre-loaded and ready to use, making it easier to stage, secure and troubleshoot devices; capture and send data to your applications right out of the box; restrict access to features and applications; and more. And the Mobility DNA Enterprise License delivers premium capabilities and unlocks a powerful data toolkit that takes workforce productivity and device management simplicity to a new level.





## A New Level of Features for a Value-Priced Device

## **Lightweight Right-Sized Small Design**

Lightweight, easy to carry and easy to operate with one hand.

#### First Device in Its Class to Offer Android 10

Familiarity with Android virtually eliminates training, while Android 10 with built-in support for a future Android release provides superior future-proofing — the devices you buy today will run future OS generations.

#### Large 5-Inch High Definition Advanced Touchscreen

Get plenty of space to display and interact with your applications. And the touchscreen is easy to view indoors and outside in bright sunlight.

#### **Built for Business**

Waterproof, dustproof, drops to concrete, snow, rain, heat, freezing cold — the TC21/TC26DK can handle it all. And two of the most vulnerable device components are fortified with the Gorilla Glass — the display and the scanner exit window.

# All the Wireless Connections You Could Ever Need

When it comes to wireless, the class-leading TC21/TC26DK offers it all — WiFi, cellular data, Bluetooth, GPS and NFC.

#### Zebra's Most Powerful 'Ultimate Series' Platform

Simultaneously run the most demanding applications of today and tomorrow. And the TC21/TC2®K is a natural fit for businesses that utilize Zebra's other mobile devices.

#### Capture it all With a High Resolution 13 MP Rear Camera

From proof of delivery to a damaged package, completed repair, occasional barcode capture and more, do it all with the integrated autofocus color camera.

#### PRODUCT SPEC SHEET

TC21/TC26DK TOUCH COMPUTER TURKISH CUSTOMS AUTHORITY

#### The Right Service Plan for the Right Price

Constant peak performance and device uptime. That's the upside of protecting your investment with Zebra OneCare™ SV. Reduce device vulnerabilities, eliminate unexpected disruptions and unbudgeted repair expenses.

You can also optimize and customize your service with additional, flexible for-fee modules that provide expedited repair shipping, battery maintenance, device commissioning and cloud-based device visibility.

#### LifeGuard™ — A Lifetime Security Guard for Android

LifeGuard<sup>™</sup> for Android<sup>™</sup> provides the security patches and updates you need to keep your TC21/TC26DK devices secure every day they are in service. Included with your warranty and with all Zebra OneCare Support Service agreements.

#### **Extensive Business-Class Accessory Family**

Easily and cost-effectively manage any size device pool in any environment with single and multi-slot chargers and cradles, vehicle holders, wearable and carrying solutions and more.

#### The Most Options in its Class

### **Choose the Right Scanning Option for Your Applications**

For scan-intensive 1D/2D applications, choose the SE4710 for fasterthan-ever barcode capture. For light to moderate 1D/2D scanning requirements, choose the SE4100. And if you just need every-nowand-then barcode capture, the high resolution 13 MP camera in the base model can do the job.

### A Removable Single or Multi-Shift Battery

Get 10 hours of power with the standard battery, or choose the extended battery for 14 hours of power — ideal for long or double shifts. And since the battery is removable, you never need to take the device out of service for charging.

#### Create A Complete Hands-Free Wearable Solution in the Warehouse

The optional wrist-mount accessory provides the comfort and productivity boost of hands-free operation. And your workers can just tap to pair with Zebra's RS5100 Bluetooth ring scanner and Zebra mobile printers.

#### Add a 5 MP Front Camera for Video Calls

Enable technicians in the field to collaborate with experts to increase first-time-to-fix rates, simplify on-the-job training and more.

# **Unparalleled Value with Complimentary Mobility DNA Tools**

#### Add Powerful Enterprise Features to Standard Android with Mobility Extensions (Mx)

Choose from over a hundred features to improve the security, data capture support, wireless connectivity and device manageability of the standard Android operating system. You're in charge — you decide what and when to activate. And features can be automatically configured via your Enterprise Mobility Management (EMM).

#### Stage Your Devices for Use in Seconds with StageNow

Easily stage a handful or thousands of Android devices with a quick scan of a barcode or tap on an NFC tag.

#### **Enterprise Home Screen**

Easily control the applications and device features your workers can access. And you can create different configurations for different teams, such as sales and marketing — no developer required.

# It's a Snap to Enter Barcodes Into Your Apps - Right Out of the

Send barcodes captured with the scanner right into your existing apps with Zebra's DataWedge — no programming or modification of your existing apps required. The result? A big time-savings — without any

# Take Advantage of all TC21/TC26DK Data Capture Features with

The Zebra Enterprise Mobility Development ToolKit (EMDK) has everything you need to fully utilize data captured by any TC21/ TC26DK feature in your applications.

#### Improve Device Uptime with Device Diagnostics

Eliminate the high cost of needlessly sending devices that don't need repair to the Zebra Repair Center with Device Diagnostics. This simple to use tool allows administrators and end users alike to test the main systems on Zebra mobile computers with a simple press of a button to reveal whether the device can be fixed on site — or must be sent out for repair.

#### **Unlock a Powerful Suite of Optional Big Business Tools**

# **Optional Mobility DNA Enterprise License**

Unlock powerful WLAN data tools to maximize the functionality and value of your TC21/TC26DK devices, including a suite of innovative data solutions which takes device management, device security and data entry to a new level of simplicity.

# **Specifications**

Physical Character	istics
Dimensions	With standard battery: 6.22 in. L x 3.11 in. W x .0.54 in. D 158 mm L x 79 mm W x 13.7 mm D With extended battery: 6.22 in. L x 3.11 in. W x .0.68 in. D
	158 mm L x 79 mm W x 17.3 mm D
Weight	8.32 oz./236 g with standard battery; 269 g with extended battery
Display	5.0 in. color HD (1280 x 720); LED backlight; Corning® Gorilla® Glass
Imager Window	Corning® Gorilla® Glass
Touch Panel	Capacitive Touch Panel; multi-touch
Power	Removable/serviceable rechargeable Li-Ion Standard Capacity 3300 mAh Enhanced Capacity 5400 mAh
Expansion Slot	One 128 GB micro SD slot
SIM Network Connections	1 Nano SIM slot; optional eSIM (TC26DK only)  1 USB 2.0 OTG - host/client; Type C connector
Notifications	Audible tone; multi-color LEDs; vibration
Keypad	On-screen keypad
Audio	Speaker - 1 Watt
Buttons	Scan on each side; volume up/down; power; pushto-talk (PTT) keys
Performance Chara	acteristics
CPU	Qualcomm Snapdragon™ 660 octa-core, 1.8 GHz
Operating System	Android 10 with built in support for a future Android release
Memory	4 GB RAM/64 GB Flash memory; 3 GB RAM/32 GB Flash memory; 2 GB RAM/16 GB Flash memory (not available in all markets)
User Environment	
Operating Temp.	14°F to 122°F / -10°C to 50°C
Storage Temp.	-30°F to 158°F / -30°C to 70°C
Humidity	5% - 95% non condensing
Drop Spec.	4 ft./1.2 m drop to vinyl tile over concrete per MIL- STD 810G across operating temperature
Tumble Spec.	300 tumbles, 1.6 ft./0.5 m
·	300 tumbles, 1.6 ft./0.5 m
Tumble Spec. Sealing Electrostatic Discharge (ESD)	IP67
Sealing Electrostatic	IP67 +/-15 kV air discharge, +/-8 kV direct discharge; +/-8 kV indirect discharge
Sealing Electrostatic Discharge (ESD)	IP67 +/-15 kV air discharge, +/-8 kV direct discharge; +/-8 kV indirect discharge
Sealing Electrostatic Discharge (ESD) Interactive Sensor	IP67  +/-15 kV air discharge, +/-8 kV direct discharge; +/-8 kV indirect discharge  Technology (IST)  Automatically adjusts display backlight brightness
Sealing Electrostatic Discharge (ESD) Interactive Sensor Light Sensor	IP67 +/-15 kV air discharge, +/-8 kV direct discharge; +/-8 kV indirect discharge Technology (IST)

Wireless WAN Data Only  Radio Frequency Band (TC26DK only)  - GSM: 850/900/1800/1900 - UMTS: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-FDD: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-FDD: B38/B40/B41 - LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTPro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11a/g/n/ac − 20MHz, 40MHz − up 150 Mbps 5 GHz: 802.11a/g/n/ac − 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13 Channel 36-165 (5180-5825MHz): 36, 40, 44, 44, 44, 44, 44, 44, 44, 44, 44	-anning	CE4100 1D/2D imager
Camera Scanning (SKU dependent)  Rear camera 13 MP; optional front camera 51 Integrated; MIFARE, ISO 14443 A&B , FeliCa , 15693 and NFC Forum supported cards; read up to 50 mm  Wireless WAN Data Only  Radio Frequency Band (TC26DK only)  - GSM: 850/900/1800/1900 - UMTS: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-FDD: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-TDD: B38/B40/B41 - LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTPro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-	canning	9
Rear camera 13 MP; optional front camera 5 I  NFC Integrated; MIFARE, ISO 14443 A&B, FeliCa, 15693 and NFC Forum supported cards; read up to 50 mm  Wireless WAN Data Only  Radio Frequency Band (TC26DK only)  - GSM: 850/900/1800/1900 - UMTS: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-FDD: B1/B2/B3/B4/B5/B8/B9/B19 - LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B19/B20/I - LTE-TDD: B38/B40/B41 - LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PT) Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-116,		ű e
NFC  Integrated; MIFARE, ISO 14443 A&B , FeliCa , 15693 and NFC Forum supported cards; read up to 50 mm  Wireless WAN Data Only  Radio Frequency Band (TC26DK only)  • GSM: 850/900/1800/1900 • UMTS: B1/B2/B3/B4/B5/B8/B9/B19 • LTE-FDD: B1/B2/B3/B4/B5/B8/B9/B19 • LTE-FDD: B38/B40/B41 • LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (P1 Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-12-13		
Wireless WAN Data Only  Radio Frequency Band (TC26DK only)  Part of the property of the provided content of the provided cont		
Radio Frequency Band (TC26DK only)  • GSM: 850/900/1800/1900 • UMTS: B1/B2/B3/B4/B5/B8/B9/B19 • LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B19/B20/I • LTE-TDD: B38/B40/B41 • LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTP) Pro² Mobility DNA easy-to-deploy, cost-effer subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-12-12-12-12-12-12-12-12-12-12-12-12-1	FC	15693 and NFC Forum supported cards; read rang
Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTP) Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTP ro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-12-12-12-12-12-12-12-12-13-12-13-13-13-13-13-13-13-13-13-13-13-13-13-	/ireless WAN Data	Only
LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B19/B20/I  LTE-TDD: B38/B40/B41  LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTPro² Mobility DNA easy-to-deploy, cost-effer subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-	adio Frequency	• GSM: 850/900/1800/1900
LTE-TDD: B38/B40/B41  LTE: Category 6  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PTPro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-12-13 (15, 120, 12-12-12-12-12-12-12-13).	and (TC26DK only)	• UMTS: B1/B2/B3/B4/B5/B8/B9/B19
LTE: Category 6  WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PT) Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-12-13		• LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B19/B20/B28
WLAN  Optional Push-to-Talk (PTT) Express¹ Mobility software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (P1 Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		
software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PT Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		LTE: Calegory 6
software application for instant PTT walkie use inside the four walls.  Optional Workforce Connect Push-to-Talk (PT Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-	LAN	Optional Push-to-Talk (PTT) Express <sup>1</sup> Mobility DN
Optional Workforce Connect Push-to-Talk (PT Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		software application for instant PTT walkie-talki
Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		use inside the four walls.
Pro² Mobility DNA easy-to-deploy, cost-effect subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		Ontional Workforce Connect Push-to-Talk (PTT)
subscription-based software application that provides instant PTT walkie-talkie use inside outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		. , ,
outside the four walls via an easy-to-deploy subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		subscription-based software application that
subscription service.  GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13 Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		provides instant PTT walkie-talkie use inside and
GPS (TC26DK only)  GPS with A-GPS: Glonass; BeiDou; Galileo  Wireless LAN  WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		
WIAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		subscription service.
WLAN Radio  IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™ certified; IPv4, IPv6, 1x1 MU-MIMO  Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124	PS (TC26DK only)	GPS with A-GPS: Glonass; BeiDou; Galileo
certified; IPv4, IPv6, 1x1 MU-MIMO  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13 Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124	/ireless LAN	
Data Rates  2.4 GHz: 802.11b/g/n — 20MHz, 40MHz — up 150 Mbps 5 GHz: 802.11a/g/n/ac — 20MHz, 40MHz, 80N up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-	LAN Radio	IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w; Wi-Fi™
150 Mbps 5 GHz: 802.11a/g/n/ac – 20MHz, 40MHz, 80M up to 433 Mbps  Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		certified; IPv4, IPv6, 1x1 MU-MIMO
5 GHz: 802.11a/g/n/ac – 20MHz, 40MHz, 80M up to 433 Mbps  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124	ata Rates	$2.4~\mathrm{GHz}$ : $802.11\mathrm{b/g/n} - 20\mathrm{MHz}$ , $40\mathrm{MHz} - \mathrm{up}$ to
up to 433 Mbps  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		
Operating Channels  Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13  Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		
9, 10, 11, 12, 13 Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-		ир to 433 мврѕ
Channel 36-165 (5180-5825MHz): 36, 40, 44, 52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 12-	perating Channels	Channel 1-13 (2412-2472 MHz): 1, 2, 3, 4, 5, 6, 7, 8,
52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124		9, 10, 11, 12, 13
		Channel 36-165 (5180-5825MHz): 36, 40, 44, 48,
132, 136, 140, 144, 149, 153, 157, 161, 165		52, 56, 60, 64, 100, 104, 108, 112, 116, 120, 124, 128
		132, 136, 140, 144, 149, 153, 157, 161, 165
Channel Bandwidth: 20, 40, 80 MHz		Channel Bandwidth: 20, 40, 80 MHz
Actual operating channels/frequencies and		
bandwidths depend on regulatory rules and certification agency		

Continued on page 4

## Markets and Applications

#### Inside the four walls

- Retail
- Hospitality
- Light warehouse
- Manufacturing

# Outside the four walls

- Field service
- Direct Store Delivery (DSD)
- Postal
- Courier
- Route accounting

#### PRODUCT SPEC SHEET

# TC21/TC26DK TOUCH COMPUTER TURKISH CUSTOMS AUTHORITY

Security and Encryption	WEP (40 or 104 bit); WPAWPA2 Personal (TKIP and AES); WPA3³ Personal (SAE); WPAWPA2 Enterprise (TKIP and AES); WPA3³ Enterprise (AES) — EAP-TTLS (PAP, MSCHAP, MSCHAPv2), EAP-TLS, PEAPv0-MSCHAPv2, PEAPv1-EAP-GTC, LEAP and EAP-PWD; WPA Enterprise 192-bit Mode (GCMP-256) - EAP-TLS; Enhanced Open (OWE)
Certifications	802.11a/b/g/n; WPA; WPA2; WPA3 <sup>3</sup>
Fast Roam	PMKID caching; Cisco CCKM; 802.11r (Over-The-Air); OKC
Wireless PAN	
B1	La = a a. = a.

Bluetooth Bluetooth 5.0 BLE, Class 2	
--------------------------------------	--

#### **Environmental Compliance**

- RoHS Directive 2011/65/EU; Amendment 2015/863
- REACH SVHC 1907/2006

For a complete list of product and materials compliance, please visit www.zebra.com/environment

#### Warranty

Subject to the terms of Zebra's hardware warranty statement, the TC21 and TC26DK are warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For the complete warranty statement, please visit www.zebra.com/warranty

#### **Recommended Services**

Protect your TC21/TC26DK mobile devices with Zebra OneCare™ SV, the right-priced service for Zebra's right-priced mobile devices. You get two years of protection against failure, coverage for normal wear and tear, live and online technical support, priority repair turnaround time and free shipping, as well as cloud-based visibility into reports on your devices — including repairs, tech support cases, contracts, LifeGuard Analytics for Android security patch status, and more. For more information on recommended services, please visit Zebra OneCare Support Services

## Footnotes

- 1. Workforce Connect PTT Express is pre-loaded with a 90-day evaluation license. A full license must be purchased to continue use after 90 days evaluation.
- To enable maximum performance and quality for Workforce Connect PTT Express, PTT Pro. the Mobility DNA Enterprise License is recommended.

# WPA3 available in Q4 2020.

#### Mobility DNA™ Professional Integrated Solutions

Mobility DNA™ is available on Android only. Mobility DNA Professional integrated solutions are preloaded and pre-licensed, provided at no cost. To take advantage of the complete Mobility DNA offerings for the TC21/TC26DK, a Mobility DNA Enterprise license is required. For more information about Mobility DNA tools, please visit the Mobility DNA Value Tier Kit home page.

















Authorized Reseller: RFID4UStore www.rfid4ustore.com 1-408-739-3500



NA and Corporate Headquarters +1 800 423 0442 inquiry4@zebra.com Asia-Pacific Headquarters +65 6858 0722 contact.apac@zebra.com EMEA Headquarters zebra.com/locations contact.emea@zebra.com **Latin America Headquarters** +1 786 245 3934 la.contactme@zebra.com